

Caliber Index of Tools Offered by L.E. WILSON INC

Caliber	Case Holder	Case Gage	Bullet Seater	Stainless Bullet Seater	Inside Neck Reamer	Primer Pocket Reamer	Base	Punch	Neck Sizing Die	Stainless Neck Die
17 Rem	F	Reg.	X		17	0.175	380	17	X	
17 PPC	F/N		X		17	0.175	440	17	X	
17 MACH IV	F/N		X		17	0.175	380	17	X	
17 Ackley Hornet	F		X		17	0.175	350	17	X	
17 Javalina	F		X		17	0.175	380	17	X	
17 Squirrel	F/N		X		17	0.175	355	17	X	
17 Fireball	F	Reg.	X		17	0.175	380	17	X	
17 Tactical	F		X	X	17	0.175	380	17	X	X
218 Bee	F	Reg.	X		220	0.175	408	22	X	
219 Donaldson	F	Reg.	X		220	0.210	506	22	X	
219 Zipper	F	Reg.	X		22	0.210	506	22		
20 TNT (Rem)	F		X		20	0.175	380	17	X	
20 Vartarg	F		X		20	0.175	380	17	X	
20 Vartarg Turbo	F		X		20	0.175	380	17	X	
20 PPC	F/N		X		20	0.175	440	17 Spl	X	
20 BR	F/N		X	X	20	0.175	475	17 Spl	X	X
20 Tactical	F/N		X	X	20	0.175	380	17	X	X
204 Ruger	F/N	Reg.	X	X	20	0.018	380	17	X	X
22 Squirrel	F/N		X		220	0.175	355	22	X	
22 Hornet	F	Reg.	X		22	0.175	350	22	X	
22 Savage	F				220	0.210	506	22		
22 Rem. Jet	F	Reg.	X		220	0.175	440	22	X	
22-250	F	Reg.	X	X	220	0.210	475	22	X	X
22-250 Ackley Imp.	F		X		220	0.210	475	22	X	
22 BR Rem.	F/N	Reg.	X	X	220	0.175	475	Spl.	X	X
22 PPC	F/N	Reg.	X	X	220	0.175	440	Spl.	X	X
22 Vartarg	F		X		220	0.175	380	22	X	
22 Vartarg Turbo	F		X		220	0.175	380	22	X	
220 Beggs			X		220	0.175	440	22	X	
220 Swift	F	Reg.	X		220	0.210	475	22	X	
220 Wilson Arrow	F	Reg.	X		220	0.210	475	22		
220 Russian	N		X		220	0.175	440	22	X	
220 Wby Rocket	F				220	0.210	475	22		
221 Rem. F.B.	F	Reg.	X		220	0.175	380	22	X	
222 Rem.	F	Reg.	X	X	220	0.175	380	22	X	X
222 Rem. Mag.	F	Reg.	X		220	0.175	380	22	X	
223 Rem	F	Reg.	X	X	220	0.175	380	22	X	X
223 Ackley Imp.	F		X		220	0.175	380	22	X	
223 WSSM	F/N		X	X	220	0.175	535	22	X	X
224 Wby. Mag.	F	Adj.			220	0.210	440	Spl.		
225 Win	F/N	Reg.			220	0.210	475	22		
240 Wby. Mag	F	Adj.			6mm	0.210	475	Spl.		
243 Win	F/N	Reg.	X	X	6mm	0.210	475	6mm	X	X
243 Ackley Imp.	F		X		6mm	0.210	475	6mm	X	
243 WSSM	F/N		X	X	6mm	0.210	535	6mm	X	X
6mm - 244 Ackley	F		X		6mm	0.210	475	6mm		
6mm - 244 Rem.	F	Reg.	X		6mm	0.210	475	6mm	X	
6mm - 225 Win.	F		X		6mm	0.210	475	6mm		
6mm - 284	F		X		6mm	0.210	475	6mm	X	
6mm International	F	Reg.	X		6mm	0.210	475	6mm	22-250	
6mm BR Rem	F/N	Reg.	X	X	6mm	0.175	475	Spl.	X	X
6mm Beggs	F/N		X		6mm	0.175	440	6mm	X	
6mm PPC	F/N	Reg.	X	X	6mm	0.175	440	Spl.	X	X
6mm PPC OS	F		X	X	6mm	0.175	440	Spl.	X	X
6mm Dasher	F	Reg.	X		6mm	0.175	475	6mm	X	
6mm Vartarg Turbo	F		X		6mm	0.175	380	Spl.	X	
6mm XC	F/N	Reg.	X		6mm	0.210	475	6mm	X	
6 X 47	F	Reg.	X		6mm	0.175	380	6mm	X	
6 X 47 Lapua	F/N	Reg.	X	X	6mm	0.175	475	Spl.	X	X
25-20	F	Reg.			25	0.175	408	25		
25-35	F	Reg.			25	0.210	506	25		
25 Rem	F/N				25	0.210	440	25		
250 Savage	F	Reg.	X		25	0.210	475	25	X	
25 - 06	F	Reg.	X		25	0.210	475	25	X	

Caliber Index of Tools Offered by L.E. WILSON INC

Caliber	Case Holder	Case Gage	Bullet Seater	Stainless Bullet Seater	Inside Neck Reamer	Primer Pocket Reamer	Base	Punch	Neck Sizing Die	Stainless Neck Die
256 Win Mag	F	Reg.	X		25	0.175	440	25	X	
257 Roberts	F	Reg.	X		25	0.210	475	25	X	
257 Wby Mag	F	Adj.			25	0.210	533	25		
25 WSSM	F/N	Reg.	X	X	25	0.210	535	25	X	X
264 Win Mag	F/N	Adj.	X		6.5mm	0.210	533	25	X	
260 Rem	F/N	Reg.	X		6.5mm	0.210	475	25	X	
6.5 Creedmoor	F/N	Reg.	X		6.5mm	0.210	475	25	X	
6.5 Grendel	F/N	Reg.	X		6.5mm	0.175	440	25	X	
6.5 X 47 Lapua	F/N	Reg.	X	X	6.5mm	0.175	475	Spl.	X	X
6.5 X 55 Norma	F	Reg.	X		6.5mm	0.210	475	25	X	
6.5 Mannlicher	F				6.5mm	0.210	460	25		
6.5 Rem. Mag.	F	Adj.	X		6.5mm	0.210	533	25	X	
6.5 - 284	F	284 Win	X	X	6.5mm	0.210	505	25	X	X
6.8 SPC	F/N	Reg.	X		270	0.210	425	25	X	
270 Wby. Mag.	F	Adj.			270	0.210	533	25		
270 Win.	F	Reg.	X		270	0.210	475	25	X	
270 WSM	F/N	300 WSM	X	X	270	0.210	555	25	X	X
7mm TCU	F	Reg.	X		7mm	0.175	380	25	X	
7mm IHMSA	F	Reg.	X		7mm	0.210	475	25	X	
7mm BR Rem.	F/N	Reg.	X		7mm	0.175	475	Spl.	X	
7mm - 08	F/N	Reg.	X		7mm	0.210	475	25	X	X
7mm Mauser	F	Reg.	X		7mm	0.210	475	25		
7mm Rem. Mag.	F/N	Adj.	X		7mm	0.210	533	25	X	
7mm STW	F/N		X		7mm	0.210	533	25	X	
7mm Wby. Mag.	F	Adj.			7mm	0.210	533	25		
7mm WSM	F/N	Reg.	X	X	7mm	0.210	555	25	X	X
7 X 61 S&H	F	Adj.			7mm	0.210	533	25		
280 Rem	F/N	Reg.	X		7mm	0.210	475	25	X	
280 Ackley Imp.	F		X		7mm	0.210	475	25	X	
284 Win.	F	Reg.	X		7mm	0.210	506	25	X	
7.5 x 55	F/N				3085	0.210	506	30		
7.62 Russian	F				30	0.210	583	30		
7.62 X 39	F	Reg.			30	0.210	480	30		
30 Rem.	F/N				30	0.210	440	30		
30 - 30	F/N		X		30	0.210	506	30	X	
30 M-1 Carbine	F	C.Length			30	0.175	380	30		
300 Savage	F/N	Reg.	X		30	0.210	475	30	X	
30 Herrett	F/N				30	0.210	506	30		
30 IHMSA	F		X	X	30	0.210	475	30	X	X
30 Newton			X		30	0.210	533	30		
30 X 44	F		X		30	0.210	475	30	X	
30 X 47	F		X	X	30	0.210	475	30	X	X
30 X 1.8	F		X	X	30	0.210	475	30	X	X
30 - 06	F	Reg.	X		30	0.210	475	30	X	
30 - 06 Ackley Imp.			X		30	0.210	475	30	X	
30 - 338 win mag	F/N	Adj.	X		30	0.210	533	30		
30 - 348	F		X		30	0.210	610	30	X	
30 - 40	F	Reg.	X		30	0.210	545	30		
300 H&H Mag.	F	Adj.	X		30	0.210	533	30		
300 Win. Mag.	F/N	Adj.	X		30	0.210	533	30	X	
300 Wby. Mag	F	Adj.			30	0.210	533	30		
300 Ultra	F	Reg.	X		30	0.210	533	30	X	
300 WSM	F/N	Reg.	X	X	30	0.210	555	30	X	X
300 RSAUM	F/N	Reg.	X		30	0.210	555	30	X	
30 BR	F/N	Reg.	X	X	30	0.210	475	30	X	
308 Baer			X	X	30	0.210	535	30		X
308 Win.	F/N	Reg.	X	X	30	0.210	475	30	X	X
308 Norma Mag.	F/N	Adj.			30	0.210	533	30		
303 Savage	F	Reg.			303	0.210	506	30		
303 British	F	Reg.			303	0.210	545	30		
7.65 Belg. Mauser	F	Reg.			303	0.210	475	30		
32 - 20	F	Reg.			32	0.175	408	30		
32 Rem.	F/N				32	0.210	440	30		
32 Win. Special	F/N	Reg.			32	0.210	506	30		

Caliber Index of Tools Offered by L.E. WILSON INC

Caliber	Case Holder	Case Gage	Bullet Seater	Stainless Bullet Seater	Inside Neck Reamer	Primer Pocket Reamer	Base	Punch	Neck Sizing Die	Stainless Neck Die
32 - 40	F	C.Length			32	0.210	506	30		
32 Auto	Q-type					0.175	380	30		
32 S&W	Q-type					0.175	380	30		
32 S&W Long	Q-type					0.175	380	30		
325 WSM	F/N		X		32	0.210	533	30	X	
8mm Mauser	F	Reg.			8mm	0.210	475	30		
8mm X 06	F				8mm	0.210	475	30		
8mm Rem. Mag.	F/N	Adj.	X		8mm	0.210	533	30		
33 Win.	F				33	0.210	610	30		
338 Win. Mag.	F/N	Adj.	X		33	0.210	533	30	X	
338 Lapua	F	Reg.	X		33	0.210	583	30	X	
340 Wby. Mag.	F				33	0.210	533	Spl.		
348 Win.	F	Reg.	X		348	0.210	610	30		
35 Win.	F				35	0.210	545	30		
35 Rem.	F				35	0.210	460	30		
35 Whelen	F		X		35	0.210	475	30		
350 Rem. Mag	F	Adj.	X		35	0.210	533	30		
357 Mag	Q/Pistol	CL/Pistol				0.175	440	30		
358 Win.	F	Reg.	X		35	0.210	475	30		
358 Norma Mag.	F/N	Adj.			35	0.210	533	Spl.		
9mm Luger	Pistol	CL/Pistol				0.175	408	30		
375 Win.	F	C.Length			375	0.210	506	30		
375 H&H Mag.	F	Adj.			375	0.210	533	30		
375 Wby. Mag.	F				375	0.210	533	30		
378 Wby. Mag.	F	Adj.			375	0.210	583	30		
38 - 40	F	Reg.				0.210	533	30		
38 - 55	F/N	C.Length				0.210	515	30		
38 Spl.	Q/Pistol	CL/Pistol				0.175	440	30		
380 Auto		Pistol				0.175	380	30		
38 Super Auto	Q/Pistol	Pistol				0.175	408	30		
40 S&W	Pistol	Pistol				0.175	440	30		
10mm Auto	Pistol	Pistol				0.210	440	30		
41 Mag	Q/Pistol	CL/Pistol				0.210	506	30		
444 Marlin	F	C.Length				0.210	515	30		
44 Mag	Q/Pistol	CL/Pistol				0.210	515	30		
44 Spl.	Q/Pistol	CL/Pistol				0.210	515	30		
44 - 40	F	Reg.				0.210	533	30		
44 Russian	Q/Pistol					0.210	515	30		
45 - 70	F/N	C.Length			45	0.210	610	30		
45 Auto	Pistol	CL/Pistol				0.210	485	30		
45 Colt same as long	Q/Pistol	CL/Pistol				0.210	515	30		
45 Colt Long	Q/Pistol	CL/Pistol				0.210	515	30		
458 Win. Mag.	F/N	C.Length			45	0.210	533	30		
460 Wby. Mag.	F				45	0.210	583	30		
50 BMG	F	Reg.			50 Cal	50 Cal				